Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	247	(@ad<"20010723").ad. and ((data\$1base director\$5 list) with (ship\$7 with address\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 10:16
S2	257	(@ad<"20010723").ad. and ((data\$1base director\$5 list) with (ship\$7 with address\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 10:17
S3	Ment 1	(@ad<"20010723").ad. and ((data\$1base director\$5 list) with (ship\$7 with address\$5)) and (internet or web or on\$1line) and acess\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 10:18
S4	27	(@ad<"20010723").ad. and ((data\$1base director\$5 list) with (ship\$7 with address\$5)) with (internet or web or on\$1line)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 10:22
S5	130	(@ad<"20010723").ad. and ((data\$1base director\$5 list) with ((ship\$7 deliver\$5) with address\$5)) with (internet web on\$1line)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 10:37
S6	130	(@ad<"20010723").ad. and ((data\$1base director\$5 list) with ((ship\$7 deliver\$5) with address\$5)) with (internet web on\$1line)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 10:40
S7	19	(@ad<"20010723").ad. and ((data\$1base director\$5 list) with ((ship\$7 deliver\$5) with address\$5)) with (internet web on\$1line) and ("shipping address")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 10:38
S8	Jun 2	(@ad<"20010723").ad. and ((data\$1base director\$5 list) with ((ship\$7 deliver\$5) with address\$5)) with (internet web on\$1line) and (access\$5) and (restrict\$5 and unrestrict\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 10:41
S9	2	(@ad<"20010723").ad. and (((data\$1base director\$5 list) with ((ship\$7 deliver\$5) with address\$5)) with (internet web on\$1line)) and (access\$5) and (restrict\$5 and unrestrict\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 10:42

				·		
S10	2	(@ad<"20010723").ad. and ((((data\$1base director\$5 list) with ((ship\$7 deliver\$5) with address\$5))) same (internet web on\$1line)) and (access\$5) and (restrict\$5 and unrestrict\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 10:42
S11	214	(@ad<"20010723").ad. and ((((data\$1base director\$5 list) with ((ship\$7 deliver\$5) with address\$5))) same (internet web on\$1line))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 10:42
S12	53	(@ad<"20010723").ad. and ((((data\$1base director\$5 list) with ((ship\$7) with address\$5))) same (internet web on\$1line))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 10:42
S13	1	(@ad<"20010723").ad. and ((((data\$1base director\$5 list) with ((ship\$7) with address\$5))) same (internet web on\$1line)) and ((start\$5 begin\$5) near5 date)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 10:43
S14	2	(@ad<"20010723").ad. and ((((data\$1base director\$5 list) with ((ship\$7) with address\$5))) same (internet web on\$1line)) and ((start\$5 valid begin\$5) near5 date)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 10:43
S15	0	(@ad<"20010723").ad. and ((((data\$1base director\$5 list) with ((ship\$7) with address\$5))) same (internet web on\$1line)) same ((start\$5 valid begin\$5) near5 date)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 10:44
S16	Trend 3	(@ad<"20010723").ad. and ((((data\$1base director\$5 list) same ((ship\$7) same address\$5))) same (internet web on\$1line)) same ((start\$5 valid begin\$5) near5 date)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 10:44
S17	263	(@ad<"20010723").ad. and ((((data\$1base director\$5 list) same ((ship\$7) same address\$5))) same (internet web on\$1line))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 10:45
S18	257	(@ad<"20010723").ad. and ((data\$1base director\$5 list) with ship\$7 with address\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 10:45

S19	205	(@ad<"20010723").ad. and ((data\$1base director\$5 list) with ship\$7 with address\$5) and (on\$1line internet web)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 10:47
S20	Mm (53)	(@ad<"20010723").ad. and ((data\$1base director\$5 list) with ship\$7 with address\$5) same (on\$1line internet web)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 10:47
S21	47	(@ad<"20010723").ad. and ((data\$1base director\$5 list) with ship\$7 with address\$5) same (on\$1line internet web) and shipping	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 10:52
S22	2	(@ad<"20010723").ad. and ((data\$1base director\$5 list) with ship\$7 with address\$5) same (on\$1line internet web) and shipping and (date near5 (valid invalid start\$5 end\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 10:50
S23	42	(@ad<"20010723").ad. and ((data\$1base director\$5 list) with ship\$7 with address\$5) same (on\$1line internet web) and shipping and server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2005/11/15 11:04
S24	17 (17)	(@ad<"20010723").ad. and ((director\$5 list) with ship\$7 with address\$5) same (on\$1line internet web) and shipping and server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 10:54
S25	0	(@ad<"20010723").ad. and ((director\$5) with ship\$7 with address\$5) same (on\$1line internet web) and shipping and server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 10:54
S26	370870	(@ad<"20010723").ad. and ((director\$5) with ship\$7 with address\$5) same (on\$1line internet web) server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 10:54
S27	0	(@ad<"20010723").ad. and ((director\$5) with ship\$7 with address\$5) same (on\$1line internet web) and server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 10:55

S28	0	(@ad<"20010723").ad. and (ship\$7 with address\$5 with director\$5) same (on\$1line internet web) and server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 10:55
S29	0	(@ad<"20010723").ad. and (ship\$7 with address\$5 with director\$5) same (on\$1line internet web)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 10:55
S30	46	(@ad<"20010723").ad. and ((data\$1base director\$5 list) with ship\$7 with address\$5) same (on\$1line internet web) and server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 11:06
S31	42	(@ad<"20010723").ad. and ((data\$1base director\$5 list) with ship\$7 with address\$5) same (on\$1line internet web) and server and shipping	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 12:13
S32	Jan 1	("20020178364").pn. and (unique near5 identi\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 12:14
S33	1	("20020178364").pn. and key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 12:15
S34	0	("20020178364").pn. and ((dataase regist\$5) near5 (index key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 12:17
S35	1	("20020178364").pn. and ((dataase regist\$5 access\$5) near5 (index key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR . · · · ·	ON	2005/11/15 12:18
S36	0	("20020178364").pn. and ((dataase regist\$5 access\$5) same (distinc\$5 match\$5) same (index key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 12:18
S37	0	("20020178364").pn. and ((distinc\$5 match\$5) same (index key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 12:18

S38	1	("20020178364").pn. and ((distinc\$5 match\$5) same (data regist\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 12:20
S39	1	("20020178364").pn. and ((key\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 12:20
S40	133	(@ad<"20010723").ad. and ((data\$1base director\$5 list) with ((ship\$7 deliver\$5) with address\$5)) with (internet web on\$1line)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 11:33
S41	10	(@ad<"20010723").ad. and ((data\$1base director\$5 list) with ((ship\$7 deliver\$5) with address\$5)) with (internet web on\$1line) and (ship\$7 with label)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 11:34
S42	Purio 9	(@ad<"20010723").ad. and ((data\$1base director\$5 list) with ((ship\$7 deliver\$5) with address\$5)) with (internet web on\$1line) and (ship\$7 with label) and (key crypto\$8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2006/05/15 12:11
S43	4	(@ad<"20010723").ad. and ((data\$1base director\$5 list) with ((ship\$7 deliver\$5) with address\$5)) with (internet web on\$1line) and (ship\$7 with label) and (key crypto\$8) and (date with range)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 11:51
S44	5 J	(@ad<"20010723").ad. and ((data\$1base director\$5 list) with ((ship\$7 deliver\$5) with (location locale place address\$5))) with (internet web on\$1line) and (ship\$7 with label) and (key crypto\$8) and (date with range)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 12:04
S45	2	("6012088").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/05/15 12:05
S46	2	("20020178364").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 12:05

	,					
S47	5	(@ad<"20010723").ad. and ((data\$1base director\$5 list) with ((ship\$7 deliver\$5) with address\$5)) with (internet web on\$1line) and (ship\$7 with label) and (key crypto\$8) and (merchant vendor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/05/15 12:35
S48	. 1	("20020178364").pn. and (valid\$8 with address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 12:35
S49	1	("20020178364").pn. and (valid\$8 with (location address))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 12:38
S50	1	("20020178364").pn. and ((valid\$8 with (location address)) same temporar\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 12:38
S51	W (146)	(@ad<"20010723").ad. and ((data\$1base director\$5 list) with ((ship\$7 deliver\$5) same address\$5)) with (internet web on\$1line)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/04 12:30
S52	104	(@ad<"20010723").ad. and ((data\$1base director\$5 list) with ((ship\$7 deliver\$5) same address\$5)) with (internet web on\$1line) and (link or hyper\$1link)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/04 12:31
S53	Not 41)	(@ad<"20010723").ad. and ((data\$1base director\$5 list) with ((ship\$7 deliver\$5) same address\$5)) with (internet web	US-PGPUB; USPAT; EPO; JPO; DERWENT;	OR _ · · ·	ON	2006/12/05 08:57
		on\$1line) and (link or hyper\$1link) and (merchant vendor seller) and (shipper fulfill\$5 deliver\$5)	IBM_TDB			
S54	1	S53 and (valid\$5 with date)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/04 12:32

			_			
S56	6	(@ad<"20010723").ad. and ((data\$1base director\$5 list) with ((ship\$7 deliver\$5) same address\$5)) with (internet web on\$1line) and (link or hyper\$1link) and (merchant vendor seller) and (shipper fulfill\$5 deliver\$5) and (date with range)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/04 13:40
S57		(@ad<"20010723").ad. and ((data\$1base director\$5 list) with ((ship\$7 deliver\$5) same address\$5 same (date with range))) with (internet web on\$1line) and (link or hyper\$1link) and (merchant vendor seller) and (shipper fulfill\$5 deliver\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/04 14:14
S58	2	("20020178364").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/04 14:14
S59	0	("2002/0178364").URPN.	USPAT	OR	OFF	2006/12/04 14:15
S60	0	("2002/0178364").URPN.	USPAT	OR	OFF	2006/12/04 14:15
S61	6532	(@ad<"20010723").ad. and ((data\$1base director\$5 list) and ((ship\$7 deliver\$5) and address\$5)) and (internet web on\$1line) and (link or hyper\$1link) and (merchant vendor seller) and (shipper fulfill\$5 deliver\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 08:58
S62	238	(@ad<"20010723").ad. and ((data\$1base director\$5 list) and ((ship\$7 deliver\$5) and address\$5)) and (internet web on\$1line) and (link or hyper\$1link) and (address\$5 with label) and (merchant vendor seller) and (shipper fulfill\$5 deliver\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 08:58